

GUID Generator

Bot Overview

This bot performs the following:

- Bot Calculates California State Tax using CATaxRateAPI Service.
 - Bot runs CATaxRateExe.exe to successfully connect with API Web services and saves the Output in Output File path supplied to Bot.
 - CATaxRate Api is the dependent web services for this Bot to get Tax rate for given address.
 - o CA Tax Rate API Url http://services.gis.boe.ca.gov/api/taxrates/rates.svc

Pre-Requisites

- Automation Anywhere Enterprise v11.x
- Net Framework 4.8

Installation

- Download the bot from the Bot Store.
- Double click on the .msi file.
- On Welcome to Installation wizard, Click Next to continue.
- Click I agree to the terms in the license agreement radio button to accept the agreement.
- Get/Copy the License key from Bot Store Downloads into License Key, click Next to continue.
- Click Install to begin installation.
- Click Finish to complete the installation.
- To view the installation, go to 'My Tasks' folder on AAE Client to see bot files.

Uninstall

- Open Add/Remove Programs -> Select the Bot/Digital Worker to be uninstalled
- Click uninstall

Creates the following folder structure of the content in the AA Dir:

<AA Directory>

- My Tasks
 - Bot Store
 - California Tax Rate Calculation- AutomationAnywhere (Folder)
 - My Tasks
 - CATaxRateAPI.atmx
 - Error Folder
 - Logs (Folder)
 - Error-Day-Month-Year.txt
 - Snapshots (Folder)
 - Error Snap Month-Day-Year.png





- o My Exes
 - CATaxRateApiExe
 - CATaxRaateApiExe.exe
 - CATaxRateExe.exe.config
 - CATaxRateExe.pdb

How to Use the Bot:

Use the following information to configure your bot:

Common For all logics			
Parameter Name	Туре	Direction	Additional Info
vOutputFile	String	Input	Bot saves result in given Output File
vStreetAddress	String	Input	Street Address for which Tax Rate need to be calculated
vCity	String	Input	City in CA for which Tax rate need to be calculated
vZipCode	String	Input	Zipcode for the City for which Tax rate need to be calculated
vState	String	Input	California (CA) – CA is the default value for this variable which should be passed mandatorly.
vErrorFolder	String	Input	This is error folder inside bot folder which contains Logs and Snapshots folder (Already defined, no need to add value unless want to change location of file).
vLogFolder	String	Input	This folder contains Log file in case of error (Already defined, no need to add value unless want to change location of file).
vSnapshotFolder	String	Input	This folder contains Screenshot in case of error (Already defined, no need to add value unless want to change location of file).





Error Handling

- o Each Bot folder contains the below hierarchy.
 - Error Folder
 - Logs
 - Error-Day-Month-Year.txt: In case of any error, this file logs error message along with time stamp
 - Snapshots
 - Error Snap Month-Day-Year.png: In case of any error, this file captures screenshot of error.
- o Task Status of bot is set to failed in case of errors.

