



Identify Text Language

Readme

Version 1.0

10/01/2020

Table of Contents

1. INTRODUCTION	3
1.1 Overview.....	3
1.2 Common Use cases	4
2. REQUIREMENTS & PREREQUISITES.....	5
2.1 System Requirements	5
2.2 Prerequisites.....	5
2.3 Security Measures	5
3. GETTING STARTED.....	6
3.1 Skill Matrix.....	6
3.2 Installation Hierarchy	7
3.3 Quick Start.....	8
3.3.1 Setup	8
3.3.2 Configuration.....	9
4. REPORTS.....	11
5. LOGS	12
6. TROUBLESHOOTING & SUPPORT	14
6.1 Support.....	14
6.2 FAQs	14
APPENDIX A: RECORD OF CHANGES.....	16
APPENDIX B: ACRONYMS.....	17
APPENDIX C: REFERENCES	18

1. Introduction

This document contains all essential information for the user to make full use of the Bot. This manual includes a description of the functions available and step-by-step procedures for setup & configuration of the Bot and the MeaningCloud license.

1.1 Overview

This Bot reads a text and identifies the language of any text, from a list of more than 160 languages. Its language detection is based on N-grams, and provides the language results using the ISO639 standard.


The process involved in the Bot takes the following steps:

1. Read data from text source to be analyzed.
2. Send request to MeaningCloud API.
3. Receive response from MeaningCloud API with the language identification of the text.


A table with all supported languages is shown in the [MeaningCloud's API documentation](#).

Name	ISO639-3	ISO639-2
Mandarin Chinese	cmn	zh
Spanish	spa	es
English	eng	en
Russian	rus	ru
Standard Arabic	arb	ar
Bengali	ben	bn


Visual Flow



Input: Text read from vInputText AA variable



Output: Response from API



1.2 Common Use cases



Examples of some use cases include:

- Identify automatically the language of a text.
- Detect the language of your contents automatically and optimize your multilingual processes.

2. Requirements & Prerequisites

2.1 System Requirements



For the PC or Server where the Bot needs to run:

- ✓ RAM: 8GB or higher.
- ✓ Processor: 3.5 GHz+ with 4 multi-cores or higher.
- ✓ Storage: 2GB or higher in the AA Client Installation drive

Further information is shown in [Enterprise Client & Control Room system requirements](#).

2.2 Prerequisites



Software needed:

- ✓ AA Enterprise Client 11.x
- ✓ AA Enterprise Control Room 11.x

Accounts / License needed:

- ✓ MeaningCloud License Key (A [MeaningCloud account](#) is required to obtain a free key)
- ✓ AA Enterprise License

2.3 Security Measures



There are some security best practices recommendations that you may follow with your Bot:

- It is recommended to store the MeaningCloud license key in a secured environment like the Automation Anywhere Credential Vault.

3. Getting Started

3.1 Skill Matrix



The functionality of the Bot has been divided into a set of skills.

Below is an overview of how the TaskBots and MetaBots map to these skills:

Skill	TaskBot Files	MetaBot Files
Identify the language from a text, providing different formats including those defined by the ISO639 standard.	Identify Text Language.atmx	MeaningCloudLangMetabot.mbot

Skill	MetaBot Files
Perform requests to MeaningCloud's Language Identification API and retrieve the response	MeaningCloudLangMetabot.mbot

3.2 Installation Hierarchy



Once the Bot is downloaded and installed, the installer creates the files in the folder structure as shown below:

Folder Structure on your Machine

Folder Structure	Description
<p><AA Application Path></p> <ul style="list-style-type: none"> • My Tasks <ul style="list-style-type: none"> ○ Bot Store <ul style="list-style-type: none"> ▪ IdentifyTextLanguage-MeaningCloud <ul style="list-style-type: none"> • My Tasks <ul style="list-style-type: none"> ○ Identify Text Language.atmx • Error Folder <ul style="list-style-type: none"> ○ Logs <ul style="list-style-type: none"> ▪ Error Log Day-Month-Year.txt ○ Snapshots <ul style="list-style-type: none"> ▪ Error Snap Day-Month-Year HourMinuteSecond.png • My MetaBots <ul style="list-style-type: none"> ○ MeaningCloudLangMetabot.mbot 	<p><AA Application Path> is the location where AA files are stored on your machine.</p> <p>Bot Store folder contains all the Bots installed from the Bot Store.</p> <p>IdentifyTextLanguage-MeaningCloud contains files and folders needed for the Bot.</p> <p>My Tasks folder contains all the developed TaskBots.</p> <p>Error Folder is where logs and snapshots of screens will be placed if something goes wrong with the Bot during execution.</p> <p>My Metabots folder contains the developed Metabots needed for the Bot execution.</p>

3.3 Quick Start


3.3.1 Setup



Step 1: Setting up a MeaningCloud account


In order to use Bots that include MeaningCloud applications, a valid license key is needed. The first step is to create an account in MeaningCloud:

<https://www.meaningcloud.com/developer/create-account>




The screenshot shows the 'Create a new account' page on the MeaningCloud website. The page has a header with the MeaningCloud logo and navigation links: APIS, INTEGRATIONS, CUSTOMIZATION, DOCUMENTATION, HELP, and BLOG. Below the header, there's a sub-header 'Create a new account' with links for 'Home', 'Developers', and 'Create Account'. The main form area is titled 'Create a new account' and includes a link for already signed-up users. The form fields are: First Name, Last Name, Email Address, Confirm Email Address, Company, Position, Telephone, Password, and Confirm Password. There are checkboxes for 'No soy un robot' (with a CAPTCHA image) and 'I agree with the Terms and Conditions'. A 'Create account' button is at the bottom right.

After registering, you will receive a confirmation mail in your Inbox.




Review your mail Inbox and confirm your registration in the MeaningCloud mail that has been sent.



Step 2: Obtain your free license key

Log in the Developer area (<https://www.meaningcloud.com/developer/login>) and click on "Subscription" at the very top of the page.

The license key is available in the "Subscriptions" section. Copy its value to the clipboard to store it in a Bot variable or in the Credential Vault.



By creating an account in MeaningCloud, you are automatically subscribed to the Free plan, which enables you to make up to 20k credits per month (a credit is a request up to 500 words, that is, a request for a text with 600 words, would cost 2 credits) at a rate of 2 requests per second. It also limits the user resources you can use. To increase these limits, you can [upgrade your plan](#).

3.3.2 Configuration



Below is a table that summarizes the input and output variables that are present inside the Bot. Mandatory input variables are necessary to run the Bot properly. A description and examples are included in the table.

INPUT VARIABLES				
Variable Name	Type	Mandatory	Purpose	Example Input
vInputText	Text	Yes	Input text that's going to be analyzed.	The total value of the company is increasing.
vLicenseKey	Text	Yes	The license key is required for making requests to any of our web services. You can get a valid license key for free just by creating an account at https://www.meaningcloud.com .	<A license key provided by MeaningCloud.>
vDetectionThreshold	Text	No	Detection threshold as a percentage of similarity with respect to the top result. By default its value is 100.	80
vServerURL	Text	No	Address of the API server. By default it's set to our SaaS deployment. Users with an on-premises deployment can use it as the API server.	https://api.meaningcloud.com

OUTPUT VARIABLES				
Variable Name	Type	Mandatory	Purpose	Example Output
vResponseJSON	Text	No	The result of the language detection in JSON format.	<JSON string>
vResponseLanguageCode	Text	No	Code defined by the ISO639-1 standard of the detected language.	en
vResponseLanguageName	Text	No	Name of the detected language.	english

4. Reports



There are no Bot Insight Reports generated for this Bot.

5. Logs




In case of Errors, Error Logs & Screenshots are generated within Error Folder (Highlighted below in yellow)

- My Tasks
 - Bot Store
 - IdentifyTextLanguage-MeaningCloud
 - Error Folder
 - Logs (Folder)
 - Error Log Day-Month-Year.txt
 - Snapshots (Folder)
 - Error Snap Day-Month-Year HourMinuteSecond.png



Error Logs will contain the below information:

- Task Name
- Error Line Number
- Error Description
- Generated Timestamp

Example of Log File:



Example of Screenshot Generated Error File:



6. Troubleshooting & Support

6.1 Support



You can send us an email to support@meaningcloud.com.



Questions on Bot Functionality or Feature can also be posted to the Community site [A-People](#).



Automation Anywhere provides a [Product Documentation portal](#) which can be accessed for more information about Automation Anywhere products and guidance on building bots and Digital Workers.

6.2 FAQs



Q: I am getting an error with the message 'The license key you are sending to use the API is not correct'.

A: Please check that the Bot variable 'vLicenseKey' contains the key license provided by MeaningCloud.

Q: How can I get a free key license to use MeaningCloud services?

A: A MeaningCloud account is required in order to obtain a free license key. Please visit the following link in order to create a new account: <https://www.meaningcloud.com/developer/create-account>

Q: I'm getting an error with the message 'Upgrade your plan to have a higher volume or wait for the credits to be reset when your billing month is over'.

A: By creating an account in MeaningCloud, you are automatically subscribed to the Free plan, which provides 20k credits per month. If your consumption is higher than that, just upgrade your plan to have a higher limit: <https://www.meaningcloud.com/developer/account/subscriptions/upgrade>

Appendix A: Record of Changes

No.	Version Number	Date of Change	Author	Notes
1	1.0	10/01/2020	MeaningCloud	Version 1 Release

Appendix B: Acronyms

No.	Acronym	Description
1	AA	Automation Anywhere
2	JSON	JavaScript Object Notation
3	API	Application Programming Interface
4	URL	Uniform Resource Locator
5	RAM	Random Access Memory
6	PC	Personal Computer
7	OS	Operating System

Appendix C: References

No.	Topic	Reference Link
1	Create a Credential in Credential Vault	Click here
2	System Requirements – Client	Click here
3	System Requirements – Control Room	Click here
4	A-People Community Site	Click here
5	Automation Anywhere Documentation Portal	Click here
6	MeaningCloud Developer site	Click here
7	MeaningCloud Language Identification: Documentation	Click here
8	MeaningCloud Language Identification: API Response	Click here
9	MeaningCloud Account creation	Click here