

# PLM-UserDeletion-ITC Infotech India Ltd



Submitted by:

# **ITC Infotech India Limited**

No 18, MaruthiSevanagar, Bengaluru, Karnataka, India



## **PLM User Deletion – Readme**

### **Bot Overview**

This bot performs the following:

- The Bot fetches service requests raised in PLM Trace and delete user accordingly and resolves the ticket.

### **Prerequisites**

- Automation Anywhere Enterprise v11.3x
- User should pass the username and password for FlexPLM and response should be tested(authorized)
- User should pass the username and password for PLM Trace and response should be tested(authorized)
- Systems host file should be set up with the PLM's IP address
- Google chrome plugin has to be enabled
- If bot should run 24 hours then enable infinite loop.
- If we want to schedule the bot then do changes in No Incidents Found and kill all applications when no incidents are found and scheduled in control room.

### Installation

- Download the bot from Bot Store.
- Double click on the .msi file.
- On Welcome to Installation wizard, click Next to continue.
- Click I agree to the terms in the license agreement radio button to accept the agreement.
- Get/Copy the License key from Bot Store Downloads into License Key, click Next to continue.
- Click Install to begin the installation.
- Click Finish to complete the installation.
- To view the installation, go to 'My Tasks' folder on AAE Client to see bot files.

## Uninstall

- Open Add/Remove Programs -> Select the Bot/Digital Worker to be installed
- Click uninstall



## Creates the following folder structure of the content in the AA Dir:

## <AA Directory>

- My Tasks
  - Bot Store
    - Read Content-AA (Folder)
      - My Tasks
        - UserDeletionCopy
      - o Error Log
        - Audit Folder
          - Error Logs Month-Day-Year.txt
        - Event Folder
        - Snapshots Folder
          - Error Snap Month-Day-Year.png
      - o Input Folder
        - User Config file
      - o Output Folder
      - o MyMetabot Folder

### How to Use the Bot:

Use the following information to configure your bot:

Parameter Name	Type	Direction	Additional Info
vstr_UserDeletion	Value		User Deletion Service Request[Hardcoded]
vint_Count	Value		No value passed since this for infinite loop.
vLogfile	Value		Log file is log folder
vLogTxt	Value		Log txt is a text file in log file
vstr_CodeChange	Value		Code Change[Hardcoded]
vstr_CompletePassword	Value		1[Hardcoded]
vstr_ExtractedText	Value		It will fetch the data from the PLM
vstr_WindowFlexPlmUrl	Value		User should provide with FlexPLM website url.
vint_Delay	Value		2[Hardcoded]
vstr_FindParticipant	Value		Find Participant - Google Chrome[WindowTitle]
vstr_flexUser	Value	Input	User should pass the username for FlexPLM
vstr_FlexplmPassword	Value	Input	User should pass the password for FlexPLM



vstr_PLMTraceLogin	Value		PLM TraCE: Login - Google Chrome[WindowTitle]
vstr_PLMTraceWindow	Value		PLM TraCE - Google Chrome[WindowTitle]
vstr_Hrs	Value		00:00[Hardcoded]
vstr_status	Value		open[Hardcoded]
vstr_SuperUser	Value		Carters[Hardcoded]
vstr_Title	Value		Title[Hardcoded]
vstr_PLMtracePassword	Value	Input	User should pass the password for PLMTrace
vstr_UserId	Value		It will fetch the user id from description
vstr_Website	Value		User should provide with PLMTrace website url.
vstr_PLMSolution	Value		User Deleted Successfully[Hardcoded]
vstr_PLMTraceUsn	Value	Input	User should pass the username for PLMTrace
vstr_ParticipantAdministration	Value		Participant Administration - Google Chrome[WindowTitle]
vstr_WindowTitle	Value		FlexPLM - Google Chrome[WindowTitle]
vMetaBot	Value		Contains the Metabots.
vErrorFolder	Value	Input	This is error folder inside bot folder which contains Logs and Snapshots folder (Already defined, no need to add value unless want to change location of file).
vLogFolder	Value	Input	This folder contains Log file in case of error (Already defined, no need to add value unless want to change location of file).
vSnapshotFolder	Value	Input	This folder contains Screenshot in case of error (Already defined, no need to add value unless want to change location of file).

## **Error Handling**

- Each Bot folder contains the below hierarchy.
  - o Error Folder
    - Logs
      - Error Logs Month-Day-Year.txt: In case of any error, this file logs error message along with time stamp
    - Snapshots
      - Error Snap Month-Day-Year.png: In case of any error, this file captures screenshot of error.
- Task Status of bot is set to failed in case of errors.



## **Troubleshooting & Support**

## Support

Are you looking for any support to configure or running of the BOT?



Email: automation.hub@itcinfotech.com

Contact : Kasthuri Rengan

